

Received
Jun 19 2012
DEQ-SWRO

June 15, 2012

County of Scott, Virginia
Subject: VPDES Permit Application:

Ms. Clairise Shaheen Department of Environmental Quality 355-A Deadmore Street Abingdon, VA.

RE: VPDES Permit Application #VA0067351: Holston Regional WWTP

Dear Ms. Shaheen,

Enclosed is our permit application for the referenced permit.

With the application we have enclosed results for one complete scan for parameters under Part D. We respectfully request a variance for scans 2 & 3 for Part D. This request is the result of no industrial user's or effluent characteristic changes since the last permit reissuance.

We also request a variance on the test for B-6 (effluent testing). Data for all parameters except dissolved oxygen; again, no changes have occurred since the last permit reissuance and the parameters are not required testing for the present permit.

The Sewage Sludge Application, Section A-8, Pollutant Concentrations, sewerage sludge monitoring has not been required by the receiving landfill; therefore, we request a variance for testing of the pollutant(s) in this section.

We hope you find this application complete, and if not please call me with comments or the need for additional information.

Sincerely yours

Danny Danko, Director

FORM

2A

NPDES FORM 2A APPLICATION OVERVIEW

MAY 03 2012

NPDES

THE O.SWR

APPLICATION OVERVIEW

Form 2A has been developed in a modular format and consists of a "Basic Application Information" packet and a "Supplemental Application Information" packet. The Basic Application Information packet is divided into two parts. All applicants must complete Parts A and C. Applicants with a design flow greater than or equal to 0.1 mgd must also complete Part B. Some applicants must also complete the Supplemental Application Information packet. The following items explain which parts of Form 2A you must complete.

BASIC APPLICATION INFORMATION:

- A. Basic Application Information for all Applicants. All applicants must complete questions A.1 through A.8. A treatment works that discharges effluent to surface waters of the United States must also answer questions A.9 through A.12.
- B. Additional Application Information for Applicants with a Design Flow ≥ 0.1 mgd. All treatment works that have design flows greater than or equal to 0.1 million gallons per day must complete questions B.1 through B.6.
- C. Certification. All applicants must complete Part C (Certification).

SUPPLEMENTAL APPLICATION INFORMATION:

- D. Expanded Effluent Testing Data. A treatment works that discharges effluent to surface waters of the United States and meets one or more of the following criteria must complete Part D (Expanded Effluent Testing Data):
 - 1. Has a design flow rate greater than or equal to 1 mgd,
 - 2. Is required to have a pretreatment program (or has one in place), or
 - 3. Is otherwise required by the permitting authority to provide the information.
- E. Toxicity Testing Data. A treatment works that meets one or more of the following criteria must complete Part E (Toxicity Testing Data):
 - 1. Has a design flow rate greater than or equal to 1 mgd,
 - 2. Is required to have a pretreatment program (or has one in place), or
 - 3. Is otherwise required by the permitting authority to submit results of toxicity testing.
- F. Industrial User Discharges and RCRA/CERCLA Wastes. A treatment works that accepts process wastewater from any significant industrial users (SIUs) or receives RCRA or CERCLA wastes must complete Part F (Industrial User Discharges and RCRA/CERCLA Wastes). SIUs are defined as:
 - 1. All industrial users subject to Categorical Pretreatment Standards under 40 Code of Federal Regulations (CFR) 403.6 and 40 CFR Chapter I, Subchapter N (see instructions); and
 - 2. Any other industrial user that:
 - a. Discharges an average of 25,000 gallons per day or more of process wastewater to the treatment works (with certain exclusions); or
 - b. Contributes a process wastestream that makes up 5 percent or more of the average dry weather hydraulic or organic capacity of the treatment plant; or
 - c. Is designated as an SIU by the control authority.
- G. Combined Sewer Systems. A treatment works that has a combined sewer system must complete Part G (Combined Sewer Systems).

ALL APPLICANTS MUST COMPLETE PART C (CERTIFICATION)

BASIC APPLICATION INFORMATION

PAR	T A. BASIC APPL	ICATION INFORMATION FOR ALL APPLICANTS:
All tr	eatment works must	complete questions A.1 through A.8 of this Basic Application Information packet.
A.1.	Facility Information	
	Facility name	Holston Regional Wastructer Treatment Plant
	Mailing Address	Weber City, VA 2 4 290
	Contact person	Brian Norton
	Title	Chief Operator
	Telephone number	294 - 386 - 340 i or (\$ 004)
	Facility Address (not P.O. Box)	Quell Run Lane
A.2.	Applicant Information	on. If the applicant is different from the above, provide the following:
	Applicant name	Scatt County Public Services Authority
	Mailing Address	Weber City, VA 74790
	Contact person	Daniel A. Danko
	Title	Director
	Telephone number	274-384-3401
	owner	owner or operator (or both) of the treatment works? operator
		espondence regarding this permit should be directed to the facility or the applicant.
	facility	V applicant
A.3.	Existing Environme works (include state-i	ntal Permits. Provide the permit number of any existing environmental permits that have been issued to the treatment ssued permits).
	NPDES VA.	0667351 PSD
	UIC	Other NCCS Permit 480043
	RCRA	Other
A.4.	Collection System I each entity and, if known etc.).	nformation. Provide information on municipalities and areas served by the facility. Provide the name and population of own, provide information on the type of collection system (combined vs. separate) and its ownership (municipal, private,
	Name	Population Served Type of Collection System Ownership
	Webrus City	VA. 2034 Syndlase Gate Cit, VA. 1327 Sentrage Weber C. L. (6 CPS)
	Total pop	oulation served 3361

A.5.	Indian C	Country.		***************************************		
	a. Is th	e treatment works located in Indian (Country?			
	-	Yes N	0			
		s the treatment works discharge to a	receiving water that is eith	ner in Indian Country or tha	t is upstream from (and	d eventually flows
	unot	ugh) Indian Country? Yes No	•			
		Yes No	J			
A.6.	average	ndicate the design flow rate of the tre daily flow rate and maximum daily fl iith the 12th month of "this year" occu	ow rate for each of the last	three years. Each year's	data must be based on	
	a. Desi	ign flow rate <u>/. 25</u> mgd	Ė			
			Two Years Ago	Last Year	This Year	
	b. Annu	ual average daily flow rate	0.516	2.471		3 mgd
	c. Maxi	imum daily flow rate	1.920	2.471	2.65	7 mgd
A.7.	Collection	on System. Indicate the type(s) of c	ollection system(s) used b	y the treatment plant. Che	ck all that apply. Also	estimate the percent
	contribut	ion (by miles) of each.			//	
		Separate sanitary sewer				%
	***************************************	Combined storm and sanitary sewe	r		-	%
A.8.	Dischar	ges and Other Disposal Methods.			,	
	a. Does	s the treatment works discharge efflu	ent to waters of the U.S.?		Yes	No
		s, list how many of each of the follow		nts the treatment works use	es:	
	-	Discharges of treated effluent			L	
	ii. [Discharges of untreated or partially tr	eated effluent			
	iii. (Combined sewer overflow points				
	iv. (Constructed emergency overflows (p	rior to the headworks)			
	v. (Other				
		s the treatment works discharge efflu oundments that do not have outlets fo			Yes	No
		s, provide the following for each surfa	-			•
	Loca					
	Annu	ual average daily volume discharged	to surface impoundment(s			mgd
	ls dis	scharge continuous o	r intermitter	nt?		
					.,	,/
		s the treatment works land-apply trea			Yes	No No
	_	s, provide the following for each land				
	Loca					
			11			
		ual average daily volume applied to s		Mgd		
	is iar	nd application continu	ious or inte	rmittent?		/
		s the treatment works discharge or tr	ansport treated or untreate	d wastewater to another		, /
	treati	ment works?			Yes	✓ No

FACILITY NAME AND PERMIT NUMBER:

Form Approved 1/14/99
OMB Number 2040-0086

If transport is by a	party other than the applicant, provide:
Transporter name	:
Mailing Address:	
Contact person:	
Title:	
Telephone numbe	
Name:	
Name: Mailing Address:	
Contact person:	
Title:	
Telephone numbe	r:
If known, provide	the NPDES permit number of the treatment works that receives this discharge.
	ge daily flow rate from the treatment works into the receiving facility.
Provide the avera	
Does the treatmer	nt works discharge or dispose of its wastewater in a manner not included in d above (e.g., underground percolation, well injection)? Yes No
Does the treatmer A.8.a through A.8.	nt works discharge or dispose of its wastewater in a manner not included in d above (e.g., underground percolation, well injection)? Yes No following for each disposal method:
Does the treatmer A.8.a through A.8. If yes, provide the	d above (e.g., underground percolation, well injection)? Yes Ves Ves
Does the treatmer A.8.a through A.8. If yes, provide the Description of mel	d above (e.g., underground percolation, well injection)? Yes No following for each disposal method:

FACILITY NAME AND PERMIT NUMBER:	Form Approved 1/14/99 OMB Number 2040-0086
----------------------------------	---

WASTEWATER DISCHARGES:

If you answered "yes" to question A.8.a, complete questions A.9 through A.12 once for each outfall (including bypass points) through which effluent is discharged. Do not include information on combined sewer overflows in this section. If you answered "no" to question A.8.a, go to Part B, "Additional Application Information for Applicants with a Design Flow Greater than or Equal to 0.1 mgd."

A.9.	De	scription of Outfall.			
	a.	Outfall number	<u>001</u>	aturas .	
	b.	Location	LEO Queil	Run Lane We	V+1 Vit, 24290
			(City or town, if applicable)		(Zip Code)
			(County) 36 36 40	· /-	(State) 82 34 55"
			(Latitude)		(Longitude)
	C.	Distance from shore (if	applicable)	ft.	
	d.	Depth below surface (if	applicable)	ft.	
	e.	Average daily flow rate		<u>, 553</u> m	gd
	f.	Does this outfall have e periodic discharge?	ither an intermittent or a	Yes	No (go to A.9.g.)
		If yes, provide the follow	ving information:		
		Number of times per ye	ear discharge occurs:		
		Average duration of ea	ch discharge:		500 000 000 000 000 000 000 000 000 000
		Average flow per disch	arge:		mgd
		Months in which discha	rge occurs:	***************************************	
	g.	Is outfall equipped with	a diffuser?	Yes	No No
A.10.	De	scription of Receiving	Waters.		
	a.	Name of receiving water	er North-	fork of Ho	Iston River
	b.	Name of watershed (if I	known)		
		United States Soil Con-	servation Service 14-digit waters	shed code (if known):	
	C.	Name of State Manage	ment/River Basin (if known):	WARRANT AND	
		United States Geologic	al Survey 8-digit hydrologic cata	loging unit code (if known):	
	d.	Critical low flow of rece	iving stream (if applicable):	chronic	cfs
	e.		ving stream at critical low flow (i	f applicable):	mg/l of CaCO ₃
			•		-

Received

FACILITY NAME AND PERMIT NUMBER:

MANY 2.4 2012

Form Approved 1/14/99 OMB Number 2040-0086


40LSTIN Re6				70 0c					
11. Description of Tre	eatment.					- Carried A	ma en	JR()	
a. What levels of	treatment ar	e provide	ed? Chec	k all that	apply.	D.	eq-sy	ANN	
	imary	•			ondary				
Ac	dvanced			Oth	er. Describe:				
b. Indicate the fol	llowing remo	val rates	(as appli	cable):					
Design BOD ₅ r	emoval <u>or</u> D	esign CB	BOD _e rem	ioval			95	%	
Design SS ren		-	5				96	 %	
Design P remo								%	
Design N remo						***************************************		%	
Other	/ V G:					*****************		/° %	
	r-!-f- stion in		···· afflu	- mt fram	urra arrifallo le dini	-f:-!! uorioo			
• • • • • • • • • • • • • • • • • • • •	L/6か.		the enior	ent irom	this outfall? If disi	Mection values	by season, p	lease describe.	
If disinfection i	s by chlorina	ition, is de	echlorina	tion used	d for this outfall?	_	Ye	es	No No
d. Does the treat	ment plant h	ave post	aeration?	?		_	Y	es	No
collected through of 40 CFR Part 13	ide the indic not include in analysis co 6 and other fluent testin	cated effi informationducted appropring data m	luent tes ion on co d using 4 riate QA/	sting req ombined 10 CFR F QC requ	uired by the perr I sewer overflows Part 136 methods irements for sta	mitting author s in this section, . In addition, ndard methoo	rity <u>for each o</u> on. All inforn this data mu Is for analyte	outfall through on the country of the country of the country with the country of	ta for the following which effluent is must be based on da QA/QC requirements d by 40 CFR Part 136 d one-half years apa
parameters. Prov discharged. Do n collected through of 40 CFR Part 13 At a minimum, eff	ide the indice include in analysis configuration in the included in analysis configuration in the included in	cated effi informationducted appropring data m	iluent tes ion on co d using 4 riate QA/ nust be b	sting req ombined 40 CFR F QC requossed or	uired by the peri I sewer overflows Part 136 methods irements for star I at least three sa	mitting author s in this section, . In addition, ndard methoo	rity for each on. All inform this data mults for analyte ust be no mo	outfall through on nation reported ist comply with is not addresse ore than four an	which effluent is must be based on da QA/QC requirements d by 40 CFR Part 136 d one-half years apa
parameters. Prov discharged. Do n collected through of 40 CFR Part 13 At a minimum, ef	ide the indice include in analysis configuration in the included in analysis configuration in the included in	cated effi informationducted appropring data m	iluent tes ion on co d using 4 riate QA/ nust be b	sting req ombined to CFR F QC requ based or	uired by the peri I sewer overflows Part 136 methods irrements for stall I at least three sall	mitting authors in this section. In addition, andard methoc amples and m	rity for each on. All inform this data mulas for analyte ust be no mo	outfall through on the comply with est not addresse ore than four an RAGE DAILY VA	which effluent is must be based on da QA/QC requirements d by 40 CFR Part 136 d one-half years apa
parameters. Prov discharged. Do n collected through of 40 CFR Part 13 At a minimum, eff	ide the indice include in analysis configuration in the included in analysis configuration in the included in	cated effi informationducted appropring data m	iluent tes ion on co d using 4 riate QA/ nust be b	sting req ombined to CFR F QC requ based or	uired by the peri I sewer overflows Part 136 methods irements for star I at least three sa	mitting author s in this section, . In addition, ndard methoo	rity for each on. All inform this data mulas for analyte ust be no mo	outfall through on nation reported ist comply with is not addresse ore than four an	which effluent is must be based on da QA/QC requirements d by 40 CFR Part 136 d one-half years apa
parameters. Prov discharged. Do n collected through of 40 CFR Part 13 At a minimum, eff	ide the indice include in analysis configuration in the included in analysis configuration in the included in	cated effi informationducted appropring data m	iduent testion on codusing 4 riate QA/must be b	sting requesting requesting to the control of the c	uired by the peri I sewer overflows Part 136 methods irrements for stall I at least three sall	mitting authors in this section. In addition, andard methoc amples and m	rity for each on. All inform this data mults for analyte ust be no mo	outfall through on the provided ast comply with use not addresse one than four an example DAILY VA	which effluent is must be based on da QA/QC requirements d by 40 CFR Part 136 d one-half years apa
parameters. Prov discharged. Do n collected through of 40 CFR Part 13 At a minimum, eff Outfall number:	ide the indice include in analysis configuration in the included in analysis configuration in the included in	cated effi informationducted appropring data m	MAX Value	sting requesting requesting to CFR FOR Page 19 (CFR FOR Page 2) (CFR FOR P	uired by the peril sewer overflows Part 136 methods sirements for stain at least three sa AILY VALUE Units s.u. s.u.	witting authors in this section. In addition, and method amples and method with the section of t	rity for each con. All inform this data multis for analyte ust be no mo	outfall through thation reported ust comply with es not addresse one than four an example. RAGE DAILY VA	which effluent is must be based on da QA/QC requirements d by 40 CFR Part 136 d one-half years apart. **LUE** Number of Samples**
parameters. Providischarged. Doin collected through of 40 CFR Part 13 At a minimum, eff. Outfall number: PARAMET	ide the indice include in analysis configuration in the included in analysis configuration in the included in	cated effi informationducted appropring data m	iduent testion on codusing 4 riate QA/must be b	sting requesting requesting to CFR FOR Page 19 (CFR FOR Page 2) (CFR FOR P	uired by the peril sewer overflows Part 136 methods irrements for stain at least three sain AILY VALUE Units S.u.	mitting authors in this section. In addition, and method amples and method with the section of t	rity for each con. All inform this data multis for analyte ust be no mo	outfall through on the provided ast comply with use not addresse one than four an example DAILY VA	which effluent is must be based on da QA/QC requirements d by 40 CFR Part 136 d one-half years apa
parameters. Prov discharged. Do r collected through of 40 CFR Part 13 At a minimum, eff Outfall number: PARAMET	ide the indice include in analysis configuration in the included in analysis configuration in the included in	cated effi informationducted appropring data m	MAX Value	sting requesting requesting to CFR FOR Page 19 (CFR FOR Page 2) (CFR FOR P	uired by the peril sewer overflows Part 136 methods sirements for stain at least three sa AILY VALUE Units s.u. s.u.	witting authors in this section. In addition, and method amples and method with the section of t	rity for each con. All inform this data multis for analyte ust be no mo	outfall through thation reported ust comply with es not addresse one than four an example. RAGE DAILY VA	which effluent is must be based on da QA/QC requirements d by 40 CFR Part 136 d one-half years aparameter. **Number of Samples** 9 0 9 0
parameters. Prov discharged. Do r collected through of 40 CFR Part 13 At a minimum, eff Outfall number: PARAMET	ide the indicate include in analysis of the include i	cated effi informati onducted appropr ing data m	MAX Value 7 - 5	sting requirements of the control of	uired by the peril sewer overflows Part 136 methods irements for stain at least three sales Units Units S.U	witting authors in this section. In addition, and method amples and method with the section of t	rity for each con. All inform this data multis for analyte ust be no mo	outfall through thation reported ust comply with es not addresse one than four an example. RAGE DAILY VA	which effluent is must be based on da QA/QC requirements d by 40 CFR Part 136 d one-half years apart. **LUE** Number of Samples**
parameters. Prov discharged. Do r collected through of 40 CFR Part 13 At a minimum, eff Outfall number: PARAMET (Minimum) d (Maximum) ow Rate emperature (Winter)	ide the indice in analysis or in analysis or in analysis or if it is in analys	cated effi informati onducted r appropr ing data m	MAX Value 7 - 5	sting requipments of the control of	uired by the peril sewer overflows Part 136 methods sirements for stain at least three sain at least three	witting authors in this section. In addition, and method amples and method with the section of t	AVE	outfall through thation reported ust comply with es not addresse one than four an example. RAGE DAILY VA	which effluent is must be based on di QA/QC requirement d by 40 CFR Part 136 d one-half years apart. **LUE** Number of Samples** 9 0 9 0
parameters. Prov discharged. Do r collected through of 40 CFR Part 13 At a minimum, eff Outfall number: PARAMET I (Minimum) I (Maximum) Ow Rate Emperature (Winter) * For pH please re	ide the indice in analysis or in analysis or if and other fluent testin	cated effi informati onducted r appropr ing data m	MAX Value 7 - 5 MAX Value 7 - 7	sting requipments of the control of	uired by the peril sewer overflows Part 136 methods sirements for stain at least three sain at least three	witting authors in this section. In addition, and method amples and method with the section of t	AVE	nation reported ist comply with so not addresse one than four an example of the solution of th	which effluent is must be based on di QA/QC requirement d by 40 CFR Part 136 d one-half years aparalle. Number of Samples
parameters. Prov discharged. Do r collected through of 40 CFR Part 13 At a minimum, eff Outfall number: PARAMET I (Minimum) I (Maximum) Ow Rate Emperature (Winter) * For pH please re	ide the indice to include in analysis or include in analysis or if it is and other fluent testing the included in analysis or if it is and other included in analysis or if it is analysis or if it is analysis or included in	cated effi informationducted rappropring data m	MAX Value 77 - 5 A maximu XIMUM D DISCHAR c.	iting requesting requestions of the control of the	value AVERAG	witting authors in this section. In addition, and ard method amples and method with the section of the section	AVE	nation reported ist comply with ist not addresse ore than four an example of the complete ist comply with its not addresse ore than four an example of the complete ist complete ist complete ist not addresse ore than four an example is not addresse or than four an example is not addressed in the complete is not addressed in the comple	which effluent is must be based on di QA/QC requirement d by 40 CFR Part 130 d one-half years application. **NUE** Number of Samples** 9 0 9 0 9 0 ML / MDL
parameters. Prov discharged. Do r collected through of 40 CFR Part 13 At a minimum, eff Outfall number: PARAMET I (Minimum) W Rate Emperature (Winter) * For pH please re POLLUTANT	ide the indice to include in analysis or include in analysis or if it is and other fluent testing the included in analysis or if it is and other included in analysis or if it is analysis or it	cated effi informationducted rappropring data m	MAX Value 77 - S a maximu XIMUM D DISCHAR c.	iting requesting requestions of the control of the	value AVERAG	witting authors in this section. In addition, and ard method amples and method with the section of the section	AVE	nation reported ist comply with so not addresse one than four an example of the solution of th	which effluent is must be based on di QA/QC requirement d by 40 CFR Part 130 d one-half years application. **NUE** Number of Samples** 9 0 9 0 9 0 ML / MDL
parameters. Prov discharged. Do r collected through of 40 CFR Part 13 At a minimum, eff Outfall number: PARAMET (Minimum) (Maximum) Waste Pemperature (Winter) * For pH please re POLLUTANT	ide the indicate include in analysis considered and other fluent testing the considered and include in analysis considered and other fluent testing the considered and include include in analysis of the considered and include inclu	um and a MA) Conc	MAX Value 77 - S a maximu XIMUM D DISCHAR c.	citing requestions requestions and compared or compare	value AVERAG Conc.	witting authors in this section. In addition, and ard method amples and method amples and method by the section of the section	AVEI	nation reported ist comply with ist not addresse ore than four an example of the complete ist comply with its not addresse ore than four an example of the complete ist complete ist complete ist not addresse ore than four an example is not addresse or than four an example is not addressed in the complete is not addressed in the comple	which effluent is must be based on di QA/QC requirement d by 40 CFR Part 130 d one-half years application. **NUE** Number of Samples** 9 0 9 0 9 0 ML / MDL
parameters. Prov discharged. Do r collected through of 40 CFR Part 13 At a minimum, eff Outfall number: PARAMET d (Minimum) d (Maximum) www Rate emperature (Winter) * For pH please re POLLUTANT OCHEMICAL OXYGEN	ide the indice to include in analysis or include include in analysis or include incl	um and a MA) Conc	MAX Value 77 - S a maximu XIMUM D DISCHAR c.	citing requestions requestions and compared or compare	value AVERAG Conc.	witting authors in this section. In addition, and ard method amples and method amples and method are section. The section is a section with the section in t	AVEI	nation reported ist comply with ist not addresse ore than four an example of the complete ist comply with its not addresse ore than four an example of the complete ist complete ist complete ist not addresse ore than four an example is not addresse or than four an example is not addressed in the complete is not addressed in the comple	which effluent is must be based on di QA/QC requirement d by 40 CFR Part 130 d one-half years application. **LUE** Number of Samples** 9 0 9 0 9 0 **ML / MDL** **ML / MDL**

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM **2A YOU MUST COMPLETE**


Form	Approve	d 1/14/99
OMB	Number	2040-008

FACILITY NAME AND PERMIT NUMBER:


DACIC ADDITION INFORMATION
BASIC APPLICATION INFORMATION
PART B. ADDITIONAL APPLICATION INFORMATION FOR APPLICANTS WITH A DESIGN FLOW GREATER THAN OR EQUAL TO 0.1 MGD (100,000 gallons per day).
All applicants with a design flow rate ≥ 0.1 mgd must answer questions B.1 through B.6. All others go to Part C (Certification).
B.1. Inflow and Infiltration. Estimate the average number of gallons per day that flow into the treatment works from inflow and/or infiltration. 275000 gpd
Briefly explain any steps underway or planned to minimize inflow and infiltration. AS A STATUS ON HINGS THE I HI STUDY IS BEING CONDUCTED WITH MAPPING COMPLETED. NOW WORKING ON FLOW MONITONING. NO STATUS ON
B.2. Topographic Map. Attach to this application a topographic map of the area extending at least one mile beyond facility property boundaries. This map must show the outline of the facility and the following information. (You may submit more than one map if one map does not show the entire area.)
a. The area surrounding the treatment plant, including all unit processes. $\mathcal{G}\mathcal{I}\mathcal{A}\mathcal{B}$
b. The major pipes or other structures through which wastewater enters the treatment works and the pipes or other structures through which treated wastewater is discharged from the treatment plant. Include outfalls from bypass piping, if applicable.
c. Each well where wastewater from the treatment plant is injected underground.
d. Wells, springs, other surface water bodies, and drinking water wells that are: 1) within 1/4 mile of the property boundaries of the treatment works, and 2) listed in public record or otherwise known to the applicant.
e. Any areas where the sewage sludge produced by the treatment works is stored, treated, or disposed.
f. If the treatment works receives waste that is classified as hazardous under the Resource Conservation and Recovery Act (RCRA) by truck, rail, or special pipe, show on the map where that hazardous waste enters the treatment works and where it is treated, stored, and/or disposed.
B.3. Process Flow Diagram or Schematic. Provide a diagram showing the processes of the treatment plant, including all bypass piping and all backup power sources or redundancy in the system. Also provide a water balance showing all treatment units, including disinfection (e.g, chlorination and dechlorination). The water balance must show daily average flow rates at influent and discharge points and approximate daily flow rates between treatment units. Include a brief narrative description of the diagram.
B.4. Operation/Maintenance Performed by Contractor(s).
Are any operational or maintenance aspects (related to wastewater treatment and effluent quality) of the treatment works the responsibility of a contractor?YesNo
If yes, list the name, address, telephone number, and status of each contractor and describe the contractor's responsibilities (attach additional pages if necessary).
Name:
Mailing Address:
Telephone Number:
Responsibilities of Contractor:
B.5. Scheduled Improvements and Schedules of Implementation. Provide information on any uncompleted implementation schedule or uncompleted plans for improvements that will affect the wastewater treatment, effluent quality, or design capacity of the treatment works. If the treatment works has several different implementation schedules or is planning several improvements, submit separate responses to question B.5 for each. (If none, go to question B.6.)
a. List the outfall number (assigned in question A.9) for each outfall that is covered by this implementation schedule.
b. Indicate whether the planned improvements or implementation schedule are required by local, State, or Federal agencies. YesNo



Holston Regional



B



SITE PLAN

FACILIT	Y NAME AND PE	RMIT NUMBER:						oved 1/14/99 ber 2040-0086
C	If the answer to E	3.5.b is "Yes," brie	efly describe, incl	uding new maxin	num daily inflow	rate (if applica	ble).	The transfer and the second second second
d.	Provide dates impapplicable. For inapplicable. Indica	mprovements pla	nned independen	itly of local, State	ates of completions, or Federal age	on for the imple encies, indicate	ementation steps listed planned or actual com	below, as pletion dates, as
			Schedule	А	ctual Completion	n		
	Implementation S	Stage	MM / DD /	YYYY M	M / DD / YYYY			
	- Begin construct	tion			_//			
	- End constructio	n						
	- Begin discharge	е						
	- Attain operation	nal level	//.	·	_//			
e.	Have appropriate Describe briefly:		es concerning ot				YesYes	_No
star poll Out	hods. In addition, ndard methods for utant scans and m fall Number:	analytes not add nust be no more t	ressed by 40 CF	R Part 136. At a -half years old.	of 40 CFR Part 1 minimum, efflue GE DAILY DISC	ent testing data	ppropriate QA/QC required must be based on at le	lirements for east three
		Conc.	Units	Conc.	Units	Number of Samples	ANALYTICAL METHOD	ML/MDL
CONVENT	TONAL AND NO	CONVENTIONA	L COMPOUNDS	.	4		A committee of the second seco	
AINOMM	(as N)							7//
CHLORINI RESIDUAL								
DISSOLVE	D OXYGEN	N/L	M6/6	9.0	M6/L	Ilony	5m 4500-B	**************************************
TOTAL KJ								
NITROGE NITRATE I NITROGE	PLUS NITRITE							
OIL and G								
PHOSPHO	RUS (Total)							
TOTAL DIS SOLIDS (T	SSOLVED DS)							
OTHER								
REFE	R TO THE A	PPLICATION	ON OVERV	END OF PA IEW TO DI DU MUST (ETERMINE		OTHER PARTS	OF FORM

r				
FACILITY NAME AND F	PERMIT NUMBER:			proved 1/14/99 mber 2040-0086
BASIC APPLIC	ATION INFORMAT	TION		
PART C. CERTIFICA	TION			
All applicants must comp applicants must complet have completed and are	plete the Certification Section e all applicable sections of F	orm 2A, as explained in the A certification statement, applic	ermine who is an officer for the purposes of this c pplication Overview. Indicate below which parts ants confirm that they have reviewed Form 2A an	of Form 2A you
Indicate which parts of	Form 2A you have comple	eted and are submitting:		
	cation Information packet	Supplemental Application	Information packet:	
		Part D (Expande	l Effluent Testing Data)	
		Part E (Toxicity T	esting: Biomonitoring Data)	
		Part F (Industrial	User Discharges and RCRA/CERCLA Wastes)	
		Part G (Combine	d Sewer Systems)	
ALL APPLICANTS MUS	T COMPLETE THE FOLLO	WING CERTIFICATION.		
designed to assure that of who manage the system	qualified personnel properly or or those persons directly res d complete. I am aware that	gather and evaluate the inform sponsible for gathering the inf	I under my direction or supervision in accordance nation submitted. Based on my inquiry of the perormation, the information is, to the best of my knows for submitting false information, including the position.	rson or persons owledge and
Name and official title	Danfiel A.	Danko	Director	
Signature	Daniel 9	! Danko		
Telephone number	276-386	3401		

Upon request of the permitting authority, you must submit any other information necessary to assess wastewater treatment practices at the treatment works or identify appropriate permitting requirements.

SEND COMPLETED FORMS TO:

Date signed

April 11, 20/2

FACIL	ITY NAM:	TIMES	NUMBER:

Form Approved 1/14/99 OMB Number 2040-0086

SUPPLEMENTAL APPLICATION INFORMATION

PART D. EXPANDED EFFLUENT TESTING DATA

Refer to the directions on the cover page to determine whether this section applies to the treatment works.

Effluent Testing: 1.0 mgd and Pretreatment Treatment Works. If the treatment works has a design flow greater than or equal to 1.0 mgd or it has (or is required to have) a pretreatment program, or is otherwise required by the permitting authority to provide the data, then provide effluent testing data for the following pollutants. Provide the indicated effluent testing information and any other information required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analyses conducted using 40 CFR Part 136 methods. In addition, these data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. Indicate in the blank rows provided below any data you may have on pollutants not specifically listed in this form. At a minimum, effluent testing data must be based on at least three pollutant scans and must be no more than four and one-half years old.

Outfall number: (Complete once for each outfall discharging effluent to waters of the United States.)

Units	HARGE Mass			Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
PHENOI	LS, AND	HARDNE	SS.						
									
							i i	1	

			, , , , , , , , , , , , , , , , , , , ,						
	·								
									Mattia
ormation	on other	metals re	quested b	y the peri	mit writer.	I			
1									
	ormation	ormation on other	ormation on other metals re	ormation on other metals requested b	ormation on other metals requested by the peri	ormation on other metals requested by the permit writer.	ormation on other metals requested by the permit writer.	ormation on other metals requested by the permit writer.	ormation on other metals requested by the permit writer.

F	TCII	ITV	NAME	AND	PERMIT	NUMBER:

Form Approved 1/14/99 OMB Number 2040-0086

SUPPLEMENTAL APPLICATION INFORMATION

PART D. EXPANDED EFFLUENT TESTING DATA

Refer to the directions on the cover page to determine whether this section applies to the treatment works.

Effluent Testing: 1.0 mgd and Pretreatment Treatment Works. If the treatment works has a design flow greater than or equal to 1.0 mgd or it has (or is required to have) a pretreatment program, or is otherwise required by the permitting authority to provide the data, then provide effluent testing data for the following pollutants. Provide the indicated effluent testing information and any other information required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analyses conducted using 40 CFR Part 136 methods. In addition, these data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. Indicate in the blank rows provided below any data you may have on pollutants not specifically listed in this form. At a minimum, effluent testing data must be based on at least three pollutant scans and must be no more than four and one-half years old.

POLLUTANT	1	DISC	JM DAIL HARGE				E DAILY	DISCH	ARGE		
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
METALS (TOTAL RECOVERABLE),	CYANIDE,	PHENO	LS, AND	HARDNE	SS.		1			<u> </u>	
ANTIMONY											
ARSENIC											
BERYLLIUM											
CADMIUM											
CHROMIUM											
COPPER											
LEAD									***************************************		
MERCURY											
NICKEL											
SELENIUM											***************************************
SILVER							***********************		***************************************	water to the second	
THALLIUM					***************************************						
ZINC								·			
CYANIDE											
TOTAL PHENOLIC COMPOUNDS							***************************************				
HARDNESS (AS CaCO ₃)											
Use this space (or a separate sheet) to	provide in	formation	n on other	metals re	quested t	y the pe	mit writer				
			_								

Outfall number:	ch outfall	all discharging effluent to waters of the United S					States.)				
POLLUTANT	N	AXIMU DISCI	JM DAIL` HARGE	Y	AVERAGE DAILY DISCHARGE						
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
VOLATILE ORGANIC COMPOUNDS.					S 200 200 200 200 200 200 200 200 200 20	1					
ACROLEIN											
ACRYLONITRILE											
BENZENE											
BROMOFORM											
CARBON TETRACHLORIDE											
CLOROBENZENE											
CHLORODIBROMO-METHANE											
CHLOROETHANE									:		
2-CHLORO-ETHYLVINYL ETHER											
CHLOROFORM											
DICHLOROBROMO-METHANE											
1,1-DICHLOROETHANE											
1,2-DICHLOROETHANE											
TRANS-1,2-DICHLORO-ETHYLENE											
1,1-DICHLOROETHYLENE											
1,2-DICHLOROPROPANE											
1,3-DICHLORO-PROPYLENE											
ETHYLBENZENE											
METHYL BROMIDE											
METHYL CHLORIDE											
METHYLENE CHLORIDE											
1,1,2,2-TETRACHLORO-ETHANE											
TETRACHLORO-ETHYLENE			1.11								
TOLUENE											

Outfall number:	(Comp	lete on	ce for ea	ch outfal	l dischar	ging effl	uent to w	vaters of	the United	States.)	
POLLUTANT	ı		JM DAIL	Υ	A'	VERAG	E DAILY	DISCH	ARGE		
	Conc.	Units	HARGE Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
1,1,1-TRICHLOROETHANE											
1,1,2-TRICHLOROETHANE											
TRICHLORETHYLENE											***************************************
VINYL CHLORIDE											
Use this space (or a separate sheet) t	o provide in	I Iformatio	n on othe	r volatile o	organic co	npounds	requeste	I d by the p	L permit writer.		I
ACID-EXTRACTABLE COMPOUNDS	3					<u></u>					
P-CHLORO-M-CRESOL											
2-CHLOROPHENOL											
2,4-DICHLOROPHENOL											
2,4-DIMETHYLPHENOL											
4,6-DINITRO-O-CRESOL											
2,4-DINITROPHENOL											
2-NITROPHENOL										***************************************	
4-NITROPHENOL											***************************************
PENTACHLOROPHENOL											
PHENOL									·		
2,4,6-TRICHLOROPHENOL											
Use this space (or a separate sheet) to	provide in	formatio	n on other	acid-extr	actable co	mpounds	requeste	ed by the	permit writer.		
BASE-NEUTRAL COMPOUNDS.		!	I	I	J		L	1			
ACENAPHTHENE											
ACENAPHTHYLENE											
ANTHRACENE											
BENZIDINE											
BENZO(A)ANTHRACENE											
BENZO(A)PYRENE											

FACILITY NAME AND PERMIT NUMBER:

Outfall number: POLLUTANT		_ (Complete once for each outfall discharging effluent to waters of the United State MAXIMUM DAILY AVERAGE DAILY DISCHARGE									
I OLLOTANI		DISCH	HARGE								\$41 / B.4m.1
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
3,4 BENZO-FLUORANTHENE											
BENZO(GHI)PERYLENE											
BENZO(K)FLUORANTHENE											
BIS (2-CHLOROETHOXY) METHANE											
BIS (2-CHLOROETHYL)-ETHER											
BIS (2-CHLOROISO-PROPYL) ETHER											
BIS (2-ETHYLHEXYL) PHTHALATE											
4-BROMOPHENYL PHENYL ETHER											
BUTYL BENZYL PHTHALATE											
2-CHLORONAPHTHALENE											
4-CHLORPHENYL PHENYL ETHER											
CHRYSENE											
DI-N-BUTYL PHTHALATE											
DI-N-OCTYL PHTHALATE											
DIBENZO(A,H) ANTHRACENE											
1,2-DICHLOROBENZENE											
1,3-DICHLOROBENZENE											
1,4-DICHLOROBENZENE											
3,3-DICHLOROBENZIDINE											
DIETHYL PHTHALATE											
DIMETHYL PHTHALATE											
2,4-DINITROTOLUENE											
2,6-DINITROTOLUENE											
1,2-DIPHENYLHYDRAZINE											

Outfall number:	Outfall number: (Complete once for each outfall discharging effluent to waters of the United States.)										
POLLUTANT	1		JM DAIL HARGE	Y	A\	VERAGI	DAILY	DISCH	ARGE		
	Conc.	Units		Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
FLUORANTHENE											
FLUORENE											
HEXACHLOROBENZENE											
HEXACHLOROBUTADIENE											
HEXACHLOROCYCLO- PENTADIENE											
HEXACHLOROETHANE											
INDENO(1,2,3-CD)PYRENE											
ISOPHORONE											
NAPHTHALENE											
NITROBENZENE											
N-NITROSODI-N-PROPYLAMINE											
N-NITROSODI- METHYLAMINE											
N-NITROSODI-PHENYLAMINE											
PHENANTHRENE											
PYRENE											
1,2,4-TRICHLOROBENZENE											
Use this space (or a separate sheet) to	provide in	formatio	on other	base-neu	ıtral comp	ounds re	quested b	y the per	mit writer.		
Use this space (or a separate sheet) to	provide in	formatio	on other	pollutant	s (e.g., pe	sticides) i	requested	by the p	ermit writer.		T

END OF PART D.
REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE

SUPPLEMENTAL APPLICATION INFORMATION

PART E. TOXICITY TESTING DATA

POTWs meeting one or more of the following criteria must provide the results of whole effluent toxicity tests for acute or chronic toxicity for each of the facility's discharge points: 1) POTWs with a design flow rate greater than or equal to 1.0 mgd; 2) POTWs with a pretreatment program (or those that are required to have one under 40 CFR Part 403); or 3) POTWs required by the permitting authority to submit data for these parameters.

- At a minimum, these results must include quarterly testing for a 12-month period within the past 1 year using multiple species (minimum of two species), or the results from four tests performed at least annually in the four and one-half years prior to the application, provided the results show no appreciable toxicity, and testing for acute and/or chronic toxicity, depending on the range of receiving water dilution. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136.
- In addition, submit the results of any other whole effluent toxicity tests from the past four and one-half years. If a whole effluent toxicity test conducted during the past four and one-half years revealed toxicity, provide any information on the cause of the toxicity or any results of a toxicity reduction evaluation, if one was conducted.
- If you have already submitted any of the information requested in Part E, you need not submit it again. Rather, provide the information

	e available that contain all of the info	EPA methods were not used, report the ormation requested below, they may be lication Overview for directions on which	submitted in place of Part E.					
E.1. Required Tests.	E.1. Required Tests.							
Indicate the number of whole effluent toxicity tests conducted in the past four and one-half years.								
	Test number:	Test number:	Test number:					
a. Test information.								
Test species & test method number								
Age at initiation of test								
Outfall number								
Dates sample collected								
Date test started								
Duration								
b. Give toxicity test methods followed	ed.							
Manual title								
Edition number and year of publication								
Page number(s)								
c. Give the sample collection metho	d(s) used. For multiple grab sample	es, indicate the number of grab sample	s used.					
24-Hour composite								
Grab								
d. Indicate where the sample was ta	aken in relation to disinfection. (Chec	k all that apply for each)						
Before disinfection								
After disinfection								
After dechlorination								

FACILITY NAME AND PERMIT NUMBE	R:		Form Approved 1/14/99 OMB Number 2040-0086
	Test number:	Test number:	Test number:
e. Describe the point in the treatme	ent process at which the sample was co	ollected.	
Sample was collected:			
f. For each test, include whether the	e test was intended to assess chronic	toxicity, acute toxicity, or both.	
Chronic toxicity			
Acute toxicity			
g. Provide the type of test performe	ed.		
Static			
Static-renewal			
Flow-through			
h. Source of dilution water. If labor	atory water, specify type; if receiving w	rater, specify source.	
Laboratory water			
Receiving water			
i. Type of dilution water. It salt water	er, specify "natural" or type of artificial s	sea salts or brine used.	
Fresh water			
Salt water			
	for all concentrations in the test series	S.	
k. Parameters measured during the	test. (State whether parameter meets	test method specifications)	•
рН			
Salinity			
Temperature			
Ammonia			
Dissolved oxygen			
I. Test Results.			
Acute:			
Percent survival in 100% effluent	%	%	%
LC ₅₀			
95% C.I.	%	%	%
Control percent survival	%	%	%
Other (describe)			

FACILITY NAME AND PERMIT NUMBER	:		Form Approved 1/14/99 OMB Number 2040-0086				
Chronic:							
NOEC	%		%				
IC ₂₅	%		%				
Control percent survival	%		%	(
Other (describe)							
m. Quality Control/Quality Assurance	ce.						
Is reference toxicant data available?	***************************************						
Was reference toxicant test within acceptable bounds?							
What date was reference toxicant test run (MM/DD/YYYY)?							
Other (describe)							
E.4. Summary of Submitted Biomonitor cause of toxicity, within the past four summary of the results. Date submitted:	ing Test Information. If you have and one-half years, provide the dat 06-09 09-09 (MM/DD/YYYY) /2-09	submitted biles the inform 3-10 6-10 9-10 12-10	omonitoring test informal nation was submitted to the 2-11 6-11 9-11 17-11	ion, or information regarding the			

END OF PART E.

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE.

. .

SUPPLEMENTAL APPLICATION INFORMATION

PAF	RT F. INDUSTRIAL USER DISCHARGES AND RCRA/CERCLA WASTES
	reatment works receiving discharges from significant industrial users or which receive RCRA, CERCLA, or other remedial wastes must plete Part F.
GEI	NERAL INFORMATION:
F.1.	Pretreatment Program. Does the treatment works have, or is it subject to, an approved pretreatment program? YesNo
F.2.	Number of Significant Industrial Users (SIUs) and Categorical Industrial Users (CIUs). Provide the number of each of the following types of industrial users that discharge to the treatment works.
	a. Number of non-categorical SIUs.
	b. Number of CIUs.
SIG	NIFICANT INDUSTRIAL USER INFORMATION:
Supp and	oly the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through F.8 provide the information requested for each SIU.
F.3.	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name:
	Mailing Address:
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s):
	Raw material(s):
F.6.	Flow Rate.
	Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. gpd (continuous orintermittent)
	 Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orintermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limitsYesNo
	b. Categorical pretreatment standardsYesNo
	If subject to categorical pretreatment standards, which category and subcategory?

FAC	LITY NAME AND PERMIT NUMBER:	Form Approved 1/14/99 OMB Number 2040-0086
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by t upsets, interference) at the treatment works in the past three years?	he SIU. Has the SIU caused or contributed to any problems (e.g.,
	YesNo If yes, describe each episode.	
	A HAZARDOUS WASTE RECEIVED BY TRUCK, RAIL, OR DEDINGER. RCRA Waste. Does the treatment works receive or has it in the past three pipe?YesNo (go to F.12.)	
F.10.	Waste Transport. Method by which RCRA waste is received (check all the Truck RailDedicated Pipe	at apply):
F.11.	Waste Description. Give EPA hazardous waste number and amount (vol EPA Hazardous Waste Number Amount	ume or mass, specify units). <u>Units</u>
CER	CLA (SUPERFUND) WASTEWATER, RCRA REMEDIATION/COF	RRECTIVE EWATER:
	Remediation Waste. Does the treatment works currently (or has it been removed	current and future site.
F.14.	Pollutants. List the hazardous constituents that are received (or are expeknown. (Attach additional sheets if necessary).	cted to be received). Include data on volume and concentration, if
F.15.	Waste Treatment. a. Is this waste treated (or will it be treated) prior to entering the treatmen YesNo If yes, describe the treatment (provide information about the removal e	
	b. Is the discharge (or will the discharge be) continuous or intermittent? ContinuousIntermittent If intermittent,	describe discharge schedule.

END OF PART F.
REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE

SUPPLEMENTAL APPLICATION INFORMATION

PART G. COMBINED SEWER SYSTEMS

If the treatment works has a combined sewer system, complete Part G.

- G.1. System Map. Provide a map indicating the following: (may be included with Basic Application Information)
 - a. All CSO discharge points.
 - b. Sensitive use areas potentially affected by CSOs (e.g., beaches, drinking water supplies, shellfish beds, sensitive aquatic ecosystems, and outstanding natural resource waters).
 - c. Waters that support threatened and endangered species potentially affected by CSOs.
- G.2. System Diagram. Provide a diagram, either in the map provided in G.1. or on a separate drawing, of the combined sewer collection system that includes the following information:
 - a. Locations of major sewer trunk lines, both combined and separate sanitary.
 - b. Locations of points where separate sanitary sewers feed into the combined sewer system.
 - c. Locations of in-line and off-line storage structures.
 - d. Locations of flow-regulating devices.
 - e. Locations of pump stations.

CSO OUTFALLS:									
Comple	Complete questions G.3 through G.6 once <u>for each CSO discharge point</u> .								
G.3. Des	scription of Outfall.								
_	Outfall number								
a.	Outfall number								
b.	Location								
		(City or town, if applicable)	(Zip Code)						
		(County)	(State)						
		(,	()						
		(Latitude)	(Longitude)						
C.	Distance from shore (if	applicable)ft.							
d.	Depth below surface (if	applicable)ft.							
e.	Which of the following w	vere monitored during the last year for this CSO?							
	Rainfall	CSO pollutant concentrationsCSO frequen	cy						
	CSO flow volume	Receiving water quality							
f.	How many storm events	s were monitored during the last year?							
G.4. CS	D Events.								
a.	Give the number of CSC	·							
1_		_ actual or approx.)							
b.	3								
	nours (_ actual or approx.)							

FACILITY NAME AND PERMIT NUMBER:	Form Approved 1/14/99 OMB Number 2040-0086
c. Give the average volume per CSO event.	
million gallons (actual or approx.)	
d. Give the minimum rainfall that caused a CSO event in the last year.	
inches of rainfall	
G.5. Description of Receiving Waters.	
a. Name of receiving water:	
b. Name of watershed/river/stream system:	
United States Soil Conservation Service 14-digit watershed code (if known	wn):
c. Name of State Management/River Basin:	
United States Geological Survey 8-digit hydrologic cataloging unit code	(if known):
G.6. CSO Operations.	
Describe any known water quality impacts on the receiving water caused by permanent or intermittent shell fish bed closings, fish kills, fish advisories, ot quality standard).	
END OF PAR	T G.
REFER TO THE APPLICATION OVERVIEW TO DET	ERMINE WHICH OTHER PARTS OF FORM

2A YOU MUST COMPLETE.

Additional information, if provided, will appear on the following pages.



UNIVERSAL LABORATORIES

REPORT OF ANALYSIS

Order ID: 1204094

(REPORT DATE) 17-Apr-12

TO: ENVIRONMENTAL MONITORING, INC.

5730 Industrial Park Road

P.O. Box 1190

Norton

Va. 24273

ATTN: Donna Phillips

FaxNumber: (276) 679-6549

E-MAIL

This report contains the analytical results for Project Id 1534.1 designated as UL Order Id 1204094 and received on *Friday, April 06, 2012*The results contained in this report relate only to the samples identified on this order. The analytical results meet all requirements of NELAC unless specifically stated. This report shall not be reproduced except in full.

The data in this report has been reviewed and validated by:

Signature

Name

Pres They went Director

Title



ENVIRONMENTAL MONITORING, INCORPORATED

ENVIRONMENTAL CONSULTANTS A ANALYTICAL LABORATORIES P.O. BOX 1190 A NORTON, VIRGINIA 24273 A 276/679-6544

Certificate of Analysis

Page: 1 of 1

Client Name: SCOTT COUNTY PSA

Address:

156 LEGION STREET

WEBER CITY, VA

24290

Report Date: 04/30/12

Lab Sample No.: 1206326

Client No.: EMI Project No.:

1534

Site Description:

Sample Identification: EXPANDED EFFLUENT

Date Collected:

04/03/12

Time Collected: 900

Sample Matrix: AQ

Collected By: J BERTON

Analyst
SAS
NCC
MBQ
NCC
SDT
NCC
NCC
NCC
N

Flow if Avaliable (GPM): Temp. if Available (C):

Depth if Available (Ft): Analysis Package Code: Type of Sample: Grab BDL = Below Detection Limit FLD = Field Technician SCRLF

IV - Flag Indicates Insufficient Sample Volume

J - Flag Indicates estimated value below Report Limit

T - Results Indicate possible toxicity which is expected to influence reported value.

NA -A result for this analyte is not available.

MI - Matrix Interference - Final result may not be representative.

BO = Batch QC Outside Acceptable Range

HE = Parameter Hold Time Exceeded FC = Failure to Comply Current SOP

R = Sample results rejected because of gross deficiencies in QC or method performance .

UL ORDER ID 1204094

UL Sample Number 1204094-001

Grab Date/Time: 4/3/2012 09:00:00

CLIENT

Composite Start: N/A

Composite Stop: N/A Collected By:

Sample Site: 1534.1

Client Sample ID: 1206326 - EXPANDED EFFLUENT

Sample Matrix: Wastewater

Parameter	Test Result	Units	RL	MDL	Analysis Date/Time	Analyst Comment
Method: <u>EPA 335.4</u> Cyanide (Total)	< 0.005	mg/L	0.005	0.005	4/13/2012 16:07:00	HAM
Method: <u>EPA 420.2</u> Phenolics (Total)	<0.1	mg/L	0.1	0.1	4/9/2012 14:58:00	HAM Run by SM 510 A/C
Method: EPA 624 1,1,1-Trichloroethane	<1	ug/L	1	0.5	4/10/2012 23:45:00	нам
1,1,2,2-Tetrachloroethane	<1	ug/L	1	0.5	4/10/2012 23:45:00	HAM .
1,1,2-Trichloroethane	<1	ug/L	1	0.5	4/10/2012 23:45:00	НАМ
1,1-Dichloroethane	<1	ug/L	1	0.5	4/10/2012 23:45:00	HAM
1,1-Dichloroethene	<1	ug/L	1	0.5	4/10/2012 23:45:00	HAM
1,2-Dichlorobenzene	<1	ug/L	1	0.5	4/10/2012 23:45:00	HAM
1,2-Dichloroethane	<1	ug/L	1	0.5	4/10/2012 23:45:00	HAM
1,2-Dichloropropane	<1	ug/L	1	0.5	4/10/2012 23:45:00	HAM
1,3-Dichlorobenzene	<1	ug/L	1	0.5	4/10/2012 23:45:00	НАМ
1,4-Dichlorobenzene	<1	ug/L	1	0.5	4/10/2012 23:45:00	HAM
2-Chloroethyl Vinyl Ether	<10	ug/L	10	1	4/10/2012 23:45:00	HAM
4-Methyl-2-pentanone	<1	ug/L	1	0.5	4/10/2012 23:45:00	НАМ
Acrolein	<5	ug/L	5 .	1	4/10/2012 23:45:00	HAM
Acrylonitrile	<5	ug/L	5	1	4/10/2012 23:45:00	HAM
Benzene	<1	ug/L	1	0.5	4/10/2012 23:45:00	НАМ
Bromodichloromethane	<1	ug/L	1	0.5	4/10/2012 23:45:00	HAM
Bromoform	<1	ug/L	1	0.5	4/10/2012 23:45:00	НАМ
Bromomethane	<1	ug/L	1	0.5	4/10/2012 23:45:00	НАМ
Carbon Tetrachloride	<1	ug/L	1	0.5	4/10/2012 23:45:00	HAM
Chlorobenzene	<1	ug/L	1	0.5	4/10/2012 23:45:00	HAM
Chlorodibromomethane	<1	ug/L.	1	0.5	4/10/2012 23:45:00	НАМ
Chloroethane	<1	ug/L	1 '	0.5	4/10/2012 23:45:00	HAM
Chloroform	<1	ug/L	1	0.5	4/10/2012 23:45:00	HAM
Chloromethane	<1	ug/L	1	0.5	4/10/2012 23:45:00	HAM
Cis-1,3-dichloropropene	<1	ug/L	1	0.5	4/10/2012 23:45:00	HAM .
Ethyl Benzene	<1 ·	ug/L	1	0.5	4/10/2012 23:45:00	HAM
Methyl ethyl ketone	<1	ug/L	1	0,5	4/10/2012 23:45:00	HAM

20 Research Drive Hampton Va. 23666

10712 Ballantraye Drive Fredericksburg Va 22407

Page 2 of 6

TOLL-FREE: (800) 695-2162 TELEPHONE: (757) 865-0880

UL ORDER ID 1204094

UL Sample Number 1204094-001

Grab Date/Time: 4/3/2012

09:00:00

Sample Site: <u>1534.1</u>

Composite Start: N/A

Client Sample ID: 1206326 - EXPANDED EFFLUENT

Composite Stop: N/A Collected By: CLIENT Sample Matrix: Wastewater

Parameter	Test Result	Units	RL	MDL	Analysis Date/Time	Analyst Comment
Methylene Chloride	<10	ug/L	10	5	4/10/2012 23:45:00	HAM
Tetrachloroethene	<1	ug/L	1	0.5	4/10/2012 23:45:00	HAM
Toluene	3	ug/L	1	0.5	4/10/2012 23:45:00	HAM
Total Xylenes	<2	ug/L	2	1	4/10/2012 23:45:00	НАМ
Trans-1,2-dichloroethene	<1	ug/L	1	0.5	4/10/2012 23:45:00	HAM
Trans-1,3-dichloropropen	e <1	ug/L	1	0.5	4/10/2012 23:45:00	HAM
Trichloroethene	<1 .	ug/L	1	0.5	4/10/2012 23:45:00	HAM
Trichlorofluoromethane	<1	ug/L	1	0.5	4/10/2012 23:45:00	HAM
Vinyl Chloride	. <1	ug/L	1	0.5	4/10/2012 23:45:00	HAM
Method: EPA 625						
1,2,4-Trichlorobenzene	< 5	ug/L	5	2	4/11/2012 02:30:00	HAM
1,2-Diphenylhydrazine	< 5	ug/L	5	2	4/11/2012 02:30:00	HAM
2,4,6-Trichlorophenol	<5	ug/L	5	2	4/11/2012 02:30:00	HAM
2,4-Dichlorophenol	<5	ug/L	5	2	4/11/2012 02:30:00	HAM
2,4-Dimethylphenol	<5	ug/L	5	2	4/11/2012 02:30:00	HAM
2,4-Dinitrophenol	<5	ug/L	5	2	4/11/2012 02:30:00	HAM
2,4-Dinitrotoluene	<5	ug/L	5	2	4/11/2012 02:30:00	HAM
2,6-Dinitrotoluene	<5	ug/L	5	2	4/11/2012 02:30:00	HAM
2-Chloronaphthalene	<5	ug/L	5	2	4/11/2012 02:30:00	HAM
2-Chlorophenol	<5	ug/L	5	2	4/11/2012 02:30:00	HAM
2-Methyl-4,6-dinitrophenol	<5	ug/L	5	2	4/11/2012 02:30:00	HAM
2-Nitrophenol	<5	ug/L	5	2	4/11/2012 02:30:00	HAM
3,3'-Dichlorobenzidine	<5	ug/L	5	2	4/11/2012 02:30:00	HAM
4-Bromophenyl Phenyl Eth	er <5	ug/L	5	2	4/11/2012 02:30:00	HAM
4-Chloro-3-methylphenol	<5	ug/L	5	2	4/11/2012 02:30:00	нам
4-Chlorophenyl Phenyl Eth	er <5	ug/L	5	2	4/11/2012 02:30:00	HAM
4-Nitrophenol	· <10	uġ/L	10	2	4/11/2012 02:30:00	HAM
Acenaphthene	<5	ug/L	5	2	4/11/2012 02:30:00	HAM
Acenaphthylene	<5	ug/L	5	2	4/11/2012 02:30:00	HAM
Anthracence	<5	ug/L	5	2	4/11/2012 02:30:00	НАМ
Benzidine	<5	ug/L	5	2	4/11/2012 02:30:00	НАМ
Benzo (A) Anthracene	<5	ug/L	5	2	4/11/2012 02:30:00	НАМ

20 Research Drive Hampton Va. 23666 10712 Bellantraye Drive Fredericksburg Va 22407

Page 3 of 8

TOLL-FREE: (800) 695-2162 TELEPHONE: (757) 865-0560

UL ORDER ID 1204094

UL Sample Number 1204094-001

CLIENT

Grab Date/Time: 4/3/2012

Composite Start: N/A

Composite Stop: N/A Collected By:

Sample Site: <u>1534.1</u>

Client Sample ID: 1206326 - EXPANDED EFFLUENT

Sample Matrix: Wastewater

Parameter	Test Result	Units	RL	MDL	Analysis Date/Time	. Analyst Comment
Benzo (A) Pyrene	<5	ug/L	5	2	4/11/2012 02:30:00	HAM
Benzo (B) Fluoranthene	<5	ug/L	5	2	4/11/2012 02:30:00	HAM
Benzo (GHI) Perylene	<5	ug/L	5	2	4/11/2012 02:30:00	HAM
Benzo (K) Fluoranthene	<5	ug/L	5	2	4/11/2012 02:30:00	НАМ
Bis(2-chloroethoxy)methane	< 5	ug/L	5	2	4/11/2012 02:30:00	HAM
Bis(2-chloroethyl)ether	<5	ug/L	5	2	4/11/2012 02:30:00	НАМ
Bis(2-chlorolsopropyl) Ether	<5	ug/L	5	2	4/11/2012 02:30:00	HAM
Bis(2-ethylhexyl) Phthalate	<5	ug/L	5	2	4/11/2012 02:30:00	НАМ
Butyl Benzyl Phthalate	<5	ug/L	5	2	4/11/2012 02:30:00	НАМ
Chrysene	<5	ug/L	5	2	4/11/2012 02:30:00	НАМ
Di-n-butyl Phthalate	<5	ug/L	5	2	4/11/2012 02:30:00	НАМ
Di-n-octyl Phthalate	<5	ug/L	5	2	4/11/2012 02:30:00	HAM
DIBENZO (A,H)Anthracene	<5	ug/L	5	2	4/11/2012 02:30:00	HAM
Diethyl Phthalate	<5	ug/L	5	2	4/11/2012 02:30:00	HAM
Dimethyl Phthalate	<5	ug/L	5	2	4/11/2012 02:30:00	НАМ
Fluoranthene	<5	ug/L	5	2	4/11/2012 02:30:00	HAM .
Fluorene	< 5	ug/L	5	2	4/11/2012 02:30:00	HAM
Hexachlorobenzene	<5	ug/L	5	2	4/11/2012 02:30:00	HAM
Hexachlorobutadiene	<5	ug/L	5	2	4/11/2012 02:30:00	НАМ
Hexachlorocyclopentadiene	<5	ug/L	5	2	4/11/2012 02:30:00	HAM
Hexachloroethane	< 5	ug/L	5	2	4/11/2012 02:30:00	HAM
Indeno(1,2,3-cd)pyrene	<5	ug/L	5	2	4/11/2012 02:30:00	HAM
Isophorone	< 5	ug/L	5	2	4/11/2012 02:30:00	HAM
N-Nitroso-dl-n-propylamine	<5	ug/L	5	2	4/11/2012 02:30:00	HAM
N-Nitrosodimethylamine	<5	ug/L	5	2	4/11/2012 02:30:00	HAM
N-Nitrosodiphenylamine	<5	ug/L	5	2	4/11/2012 02:30:00	HAM
Naphthalene	<5	ug/L	5	2	4/11/2012 02:30:00	HAM
Nitrobenzene	<5	ug/L	5	2	4/11/2012 02:30:00	HAM
Pentachlorophenol	<5	ug/L	5	2	4/11/2012 02:30:00	HAM
Phenanthrene	<5	ug/L	5	2	4/11/2012 02:30:00	HAM
Phenol	<5	ug/L	5	2	4/11/2012 02:30:00	HAM
Pyrene	<5	ug/L	5	2	4/11/2012 02:30:00	HAM
		•				4 14 4423

20 Research Drive Hampton Va. 23668

10712 Ballantraye Drive Fredericksburg Va 22407

Page 4 of 6

TOLL-FREE: (800) 695-2162 TELEPHONE: (757) 865-0880

UL ORDER ID 1204094

UL Sample Number 1204094-001

Grab Date/Time: 4/3/2012

09:00:00

Sample Site: 1534.1

Client Sample ID: 1206326

-EXPANDED EFFLUENT

Composite Start: N/A Composite Stop:

Collected By:

N/A CLIENT Sample Matrix: Wastewater

Parameter

Test Result

Units

RL MDL

Analysis Date/Time

Analyst Comment

Comments for 1204094-001

No comments

UL ORDER ID 1204094

Analytical Methods Reference

Phenolics (Total)

VDEH Lab# 00030 (Hampton)

VDEH Lab# 00065 (Fredricksburg) NCWW Lab # 543 (Hampton) NCDW Lab # 51706 (Hampton) VELAP ID 460036 (Hampton)

Accredited

Description:	Prep Method:	Method	Reference	accredited/status
Wastewater				
Cyanide (Total)	SEAL EPA 130	EPA 335.4		Accredited
Volalile Organic Compounds	EPA 624	EPA 624	40 CFR part 136 App. A	Accredited
Semi-Volatile Organic Compoun	ds EPA 625	EPA 625	40 CFR part 136 App. A	Accredited

NOTE: Analysis is performed according to Universal Laboratories Standard Operating Procedures which are based on the analytical methods referenced above

GLOSSARY OF TERMS AND ABBREVIATIONS

RL (Reporting Limit): The minimum levels, concentrations, or quantities of target analyte that can be reported with a specified degrees of confidence. Generally this number is near or equal to the lowest calibration standard run with the analytical batch.

MDL (Method Detection Limit): The constituent concentration that, when processed through the complete method, produces a signal with a 99% probability that it is different from the blank.

LCS (Leboratory Control Sample); is a sample matrix free from the analytes of interest, spixed with verified amounts of analytes.

MS (Matrix Spike): a sample prepared by adding a known mass of target analyte to a specific amount of sample for which an independent estimate of target analyte concentration is available.

MSD (Matrix Spike Duplicate); is a replicate matrix spike prepared in the laboratory and analyzed to obtain a measure of the precision recovery for each analyse.

Surrogate is a substance with properties that minic the analyte of interest. It is unlikely to be found in environmental samples and is added to them for quality control purposes

15 (Internal Standard): is a known amount of standard added to a test portion of the sample as a reference for evaluation and controlling the precsion and bias of the applied analytical method. RPD (Relative Percent Difference) is the difference between a set of sample duplicates or sample spike duplicates

ICV (Initial Calibration Verification) CCV (Continuing Calibration Verification) FCV (Final Calibration Verification)

SEAL EPA 117 EPA 420.2

Method Blank is a sample matrix smilar to the batch of associated samples that is free from analytes of interest and is processed simultaneously with and under the same conditions as samples.

Trip Blank is a sample of analyte free media collected in the same type of container that is required for the analytical test, taken from the laboratory to the sampling site and returned to the laboratory unopened. A trip blank is used to document contamination attributable to shipping and field handling procedures

Holding Time is the maximum times that samples may be held prior to enalysis and still be considered valid or not compromised

ug/L=ppb ug/kg=ppb mg/kg=ppm mg/L=ppm

QC Flag	Description
В	Analyte found in method blank
Н	Holding time exceeded
L	LCS outside acceptable limits
٧	ICV/CCV/FCV outside acceptable limits
D	RPD outside acceptable limits
MS	Matrix spike recovery outside acceptable limits
J	Result above calibration curve approximate value
QC	Method QC Critera not met
MI	Matrix Interference
S	Surrogate outside acceptable limits
IS	Internal standard outside acceptable limits

ひ下ろろ

SAMPLE LOG SHEET & CHAIN OF CUSTODY

LAB USE ONLY DATE RECEIVED LAB COC No.:

ő

· sheet

CUSTOMER INFORMATION: Shaded Areas • LAB INFORMATION: White Areas BILLING . ADDRESS:

STATEZIP PHONE (PARAMETER (ANALYSIS REQUESTED)

SE C

*CONTACT: CLENT

ENVIRONMENTAL MONITORING, INCORPORATED ENVIRONMENTAL CONSULTANTS A ANALYTICAL LABORATORIES P.O. Box 1190 A Noton, Virginia 24273 A 276-679-6544

SAMPLES WILL BE DISPOSED OF IN ACCORDANCE WITH Purchase Order No. FAX Preservation Checked By Joursh, × Ipual 01.001 3/24/10 סנצעטוים 10 Dzy Regular (Working Days) 5 Day (Working Days) *Required Information Additional Cost May Apply - Any TAT Not Specified Will Be Regular EMI PROJECT 2 Day (Working Days) (Working Days) COLLECTOR(S) SIGNATURE(S)_ TURN-AROUND (circle): *COLLECTED BY (print) CLIENT PROJ. NO. STED

Special Instructions / QC Requirements & Comments

PRESERVATIVE USED Other:

HO BN os H

HCI *ONH

3

'Na. of CNTRS.

SAMPLE

TIME OLLECTED 4:00%

DATE COLLECTED

CUSTOMER SAMPLE IDENTIFICATION

1584 1

EMI PROJECT NO .:

4-7-12

534.

1,00/6.324

EMI SAMPLE #

EMI No.

Changed 14 Plus 7

S, က r, 6 က်

Q

O.9 >

1000

ach Pa Samr se Only

ĝ

Shad

Chec

Each

Requested ch White Area

Labl

Report to be sent (if different then customer information):

ADDRESS:

NAME:

Bin 23

Received By (sign)

Unknown

Poison B

Skin Irritant

Flammable

*Received By (sign

L 9) 0/

Non Hazard

(circle)

Hazard Information:

lahed by (sign)

Received By (sign)

FAX

STATE/ZIP

Temperature of Cooler upon Receipt by Lab

Additional Remarks:

Customer to complete all shaded categories, use additional forms if necessary

OTHER

RERSONAL DELIVERY

EM PICKUP

EMI-DIRECT

FED. EX.

UPS.

US NAIL

METHOD OF SHIPMENT TO LAB (circle)

Anomaly Report Required:

QA Review

Archive for

REMARKS

EMI'S TERMS & CONDITIONS

months

OR RETURNED TO CLIENT OR

VPDES SEWAGE SLUDGE PERMIT APPLICATION FORM

SCREENING INFORMATION

This application is divided into sections. Sections A pertain to all applicants. The applicability of Sections B, C and D depend on your facility's sewage sludge use or disposal practices. The information provided on this page will help you determine which sections to fill out.

- 1. All applicants must complete Section A (General Information).
- 2. Will this facility generate sewage sludge? Yes No

Will this facility derive a material from sewage sludge? ___Yes ___No

If you answered Yes to either, complete Section B (Generation Of Sewage Sludge Or Preparation Of A Material Derived From Sewage Sludge).

3. Will this facility apply sewage sludge to the land? _Yes _No

Will sewage sludge from this facility be applied to the land? _Yes _No

If you answered No to both questions above, skip Section C.

If you answered Yes to either, answer the following three questions:

a. Will the sewage sludge from this facility meet the ceiling concentrations, pollutant concentrations, Class A pathogen reduction requirements and one of the vector attraction reduction requirements 1-8, as identified in the instructions?

__Yes __No

- b. Will sewage sludge from this facility be placed in a bag or other container for sale or give-away for application to the land? __Yes __No
- c. Will sewage sludge from this facility be sent to another facility for treatment or blending? __Yes __No

If you answered No to all three, complete Section C (Land Application Of Bulk Sewage Sludge).

If you answered Yes to a, b or c, skip Section C.

4. Do you own or operate a surface disposal site? __Yes __No

If Yes, complete Section D (Surface Disposal).

FACILITY NAME: Holston Required Power Permit number: VA. 0067 Received

SECTION A. GENERAL INFORMATION

JUN 19 2012

2.


3.

1.	Fac	cility Information.				
	a.	a. Facility name: Holgton Regional Wastewater Treatment Plane				
	b.	Contact person: Brain Borton				
		Title: Chief Operator				
		Phone: (276) 384-4004				
	c.	Mailing address:				
		Street or P.O. Box: Street				
		Street or P.O. Box: Street City or Town: Weber City State: VA Zip: 14290				
	d.	Facility location:				
		Street or Route #: Qvall Run Lane				
		County: 5cott				
		City or Town: Weber C, Ey State: VA. Zip: 14290				
	e.	Is this facility a Class I sludge management facility? Yes No				
	f.	Facility design flow rate: 1, 2, 5 mgd				
	g.	Total population served: 3 3 6 1				
	h.	Indicate the type of facility:				
		Publicly owned treatment works (POTW)				
		Privately owned treatment works				
		Federally owned treatment works				
		Blending or treatment operation				
		Surface disposal site				
		Other (describe):				
2.	Ap	plicant Information. If the applicant is different from the above, provide the following:				
	a.	Applicant name: Scatt County Public Service Authority				
	b.	Mailing address:				
		Street or P.O. Box: 156 Legion 57rg T				
		Street or P.O. Box: 156 Legion Stry T City or Town: Weber City State: VA Zip: 24290				
	c.	Contact person: Danko				
		Title: Director				
		Phone: (176) 386-3401				
	d.	Is the applicant the owner or operator (or both) of this facility? owner operator				
	e.	Should correspondence regarding this permit be directed to the facility or the applicant? facility applicant				
3.	Per	mit Information.				
	a.	Facility's VPDES permit number (if applicable): VA . VG $V735$				
	b.	List on this form or an attachment, all other federal, state or local permits or construction approvals received or applied for that regulate this facility's sewage sludge management practices:				
		Permit Number: Type of Permit:				
		45 0043 DCC5				
	,	45 0043 DCCS 51-104-0185 EXT.				
, * 785*	# 3	01-104-U188 EXT.				

Indian Country. Doe	es any generation, treatment, a Country? Yes	størage, application	n to land or disposal of s	SER: <u>VA. 006 735</u> / sewage sludge from this			
Topographic Map. Provide a topographic map or maps (or other appropriate maps if a topographic map is unavailable) that shows the following information. Maps should include the area one mile beyond all property boundaries of the facility: a. Location of all sewage sludge management facilities, including locations where sewage sludge is generated, stored, treated, or disposed. At a characteristic map is unavailable) b. Location of all wells, springs, and other surface water bodies listed in public records or otherwise known to the applicant within 1/4 mile of the property boundaries.							
Line Drawing. Provide a line drawing and/or a narrative description that identifies all sewage sludge processes that will be employed during the term of the permit including all processes used for collecting, dewatering, storing, or treating sewage sludge, the destination(s) of all liquids and solids leaving each unit, and all methods used for pathogen reduction and vector attraction reduction.							
Contractor Informat	ion. Are any operational or	maintenance aspec	ts of this facility related	to sewage sludge generation			
	sal the responsibility of a coollowing for each contractor						
•	-		pages ii necessary j.				
Mailing address:							
•							
				AMANA ANTONIO MATERIA M			
			State: Zip:				
Phone: () Contractor's Federal, State or Local Permit Number(s) applicable to this facility's sewage sludge:							
f the contractor is responsible for the use and/or disposal of the sewage sludge, provide a description of the service to be provided to the applicant and the respective obligations of the applicant and the contractor(s). Pollutant Concentrations. Using the table below or a separate attachment, provide sewage sludge monitoring data for the pollutants which limits in sewage sludge have been established in 9 VAC 25-31-10 et seq. for this facility's expected							
use or disposal practices. All data must be based on three or more samples taken at least one month apart and must be no more than four and one-half years old.							
	CONCENTRATION	SAMPLE	ANALYTICAL	DETECTION LEVEL			
POLLUTANT	(mg/kg dry weight)	DATE	METHOD	FOR ANALYSIS			
Arsenic	***************************************						
Cadmium							
Chromium							
Copper							
Lead							
Mercury							
Molybdenum							
Nickel	***************************************						
Selenium							
Zinc							

FACILITY NAME: Holston Residence | WWTP | VPDES PERMIT NUMBER: VA. 00 4735 / 9. Certification. Read and submit the following certification statement with this application. Refer to the instructions to

9.	Certification. Read and submit the following certification statement with this application. Refer to the instructions to determine who is an officer for purposes of this certification. Indicate which parts of the application you have completed and are submitting:
	Section A (General Information)
	Section B (Generation of Sewage Sludge or Preparation of a Material Derived from Sewage Sludge)
	Section C (Land Application of Bulk Sewage Sludge)
	Section D (Surface Disposal)
	"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."
	Name and official title Scott County Public Service Arthurity Owector
	Name and official title 5 Cott County Public Service Arthurity Director Signature 1 County Vant Date Signed 5-2-12
	Telephone number $(2749 384 - 340)$
	Upon request of the department, you must submit any other information necessary to assess sewage sludge use or disposal practices at your facility or identify appropriate permitting requirements.



©2012 Google - Map data ©2012 Google

Greenland Leank Lake


age for 1

Hof 4

343

Google

Sludge from the Scott County PSA Holston Regional WWTP is transport to the Hawkins County TN. landfill as shown on the map below. From Virginia the route is 23 south to I-26 east to II West to Bradley Creek Rd to Hawkins County Landfill.





STATE OF TENNESSEE TENNESSEE DEPARTMENT OF ENVIRONMENT AND CONSERVATION JOHNSON CITY ENVIRONMENTAL FIELD OFFICE

2305 SILVERDALE ROAD JOHNSON CITY, TENNESSEE 37601-2162

(423) 854-5400

STATEWIDE 1-888-891-8332

FAX (423) 854-5401

October 28, 2009

NOTICE OF SPECIAL WASTE APPROVAL

Holston Regional Waste Water Treatment Plant ATTN: Mr. James Mullins, Chief Operator P. O. Box 2236 Weber City, Virginia 24290

RE:

Special Waste Approval – Waste Water Treatment Plant Sludge

BFI-Carters Valley Landfill, Reg. Number SNL #37-104-0185 EXT.

Dear Mr. Mullins:

Rule 1200-1-7-.01(4) of the regulation promulgated under the authority of the Tennessee Solid Waste Disposal Act states that: "Except as may be specifically allowed in the permit an operator may not accept for processing or disposal at his facility any special waste unless and until specifically approved to do so in writing by the Department.

On September 30, 2009, the Holston Regional Waste Water Treatment Plant petitioned (file 37-5-2 SW 2915) the Division of Solid Waste Management (DSWM) for approval to dispose of waste water treatment plant sludge in the BFI-Carter's Valley Landfill.

Based upon review of the submitted special waste evaluation application forms, laboratory analytical results, and after observing the waste, the DSWM has determined the waste is suitable for disposal in the BFI-Carter's Valley Landfill, contingent upon the following conditions/restrictions:

- 1. The approved amount is 24 tons per week.
- 2. The waste is similar to that observed by Nat Smith and Chris Lamb on October 26, 2009.
- 3. If the physical or chemical properties of the waste change significantly, the Division must be immediately notified for re-evaluation.
- 4. If the process generating the waste changes, the Division must be immediately notified.

Mr. James Mullins, Chief Operator Special Waste Approval – <u>Waste Water Treatment Plant Sludge</u> October 28, 2009 Page 2

- 5. Be advised that no free liquids are allowed for landfill disposal except as per the liquid waste regulations.
- 6. The waste may not be transported to a transfer station but must be taken directly to the landfill for disposal.
- 7. The waste may be routinely managed with other solid waste at the facility.
- 8. If the landfill operator rejects the waste for any reason, he must notify the Division immediately.
- 9. Advance notice must be given to the landfill operator prior to receiving the waste, or a routine schedule established if disposal is continuous. Good communications should be maintained between generator and landfill operator to allow flexibility.
- 10. A copy of the approval letter and the Special Waste Application Form must be kept at the disposal facility.
- 11. This office must be provided with an updated Special Waste Recertification form annually, due between <u>January 1st</u> and <u>July 1st</u> of each year except for the year in which the waste was originally approved.

This determination is only for the waste described herein. The addition of any other waste not identified in this letter will require re-evaluation. Be advised that the facility operator may refuse to accept any solid waste even if it has been approved in writing by the Division.

Sincerely,

XC:

Fred Willingham, Environmental Field Office Manager

Division of Solid Waste Management

red Willishen

Chris M. Lamb, EPS

Division of Solid Waste Management

Mr. Brian Mann, Special Waste Consultant, BFI-Caters Valley Landfill, 2825 Carters Valley Road, Church Hill, TN 37659 (email)

DSWM, Central Office 37-05

DSWM, JCFO File #37-5-2 SW 2920



DEPARTMENT OF ENVIRONMENT AND CONSERVATION DIVISION OF SOLID WASTE MANAGEMENT SPECIAL WASTE RECERTIFICATION

1. GENERATOR INFORMAT	1. GENERATOR INFORMATION				
(A) Facility Name: Mailing Address: Zip Code: Phone:		Oublic Service Authority 1 et 4290 1			
(B) Physical Location: County: Phone:	650 Quail Rux Scott (276) 386-600	Lane			
(C) Nature of Business: Technical Contact: Title: Phone:	Wastewater Tr James Mullins Chief Operator (276) 386-60	eqtment - Brain Donton 04			
2. NAME AND DESCRIPTION					
ANTERNATION ANGEST	co siunge				
3. GENERATION RATE		ubic yards/month, or96	tons/month		
4. DATE OF ORIGINAL APPE	OVAL LETTER <u>Octob</u>	ner 28, 2009			
(ATTACH A COPY OF THE					
5. DISPOSAL / PROCESSING	FACILITY. List the facility a	accepting the waste.			
(A) Facility Name: (B) Facility Permit Number: (C) Facility Operator / Contact Name: Phone: (C) Phone: (C) Facility Operator / Contact Name: (C) Phone: (C) Facility Operator / Contact Name: (C) Phone: (C) Facility Name: (C) Facility Landfill (B) Landfill (C) Facility Operator / Contact Name: (C) Phone: (C) Facility Name: (C) Faci					
6. I hereby certify to the best of my knowledge, the above information is true and accurate, and the waste has not changed since the original approval has been granted.					
Waste Generator's Name (Print)	provar has been granted.	Preparer's Name (Print)			
Scatt Co. PSA / Holston Re Waste Generator's Authorized Sig	G.CNG WWTF nature	Preparer's Signature (If Different)			
		James & Mulling I			
L		gumest. Trucking 4			

Send originals with requested attachments to the facility listed in Item 5 above and a copy to the Environmental Assistance Center where the processing or disposal facility is located.

(continued on reverse)



TENNESSEE DEPARTMENT OF ENVIRONMENT AND CONSERVATION

Division of Solid Waste Management 401 Church Street, 5th Floor Nashville TN 37243

SPECIAL WASTE FEE WORKSHEET

1. DATE			Centr SPC I	al Office Use Only D#			
	2. GENERATOR						
(A)	(A) Name: Scott County Public Service Authority/Holston Regional WWIF Address: 155 Legion Street Weber City VA Zip Code: 24290						
(B)	Phone: Contact Pe Title: Phone:	rson: James (hief	Operator	Brain Dart			
3. An	nou nt Enclo	sed: \$ <u>/50</u> a		Special Waste Evalu Special Waste Rece			
5. Na	me and Add	Iress of Waste F	Processing or D	isposal Facility			
	Name:		Regional Wi				
To the state of th	Address:		uail Run Lane	Weber City VA			
	Zip Code:	24290					
			Central Off	ice Use Only			
CD	Number	Date Received	Amount	Receipt #	Comments		
COLORON TO THE COLORON WAS ARRESTED AND THE COLOR OF THE							

Send fee worksheet with payment directly to.

State of Tennessee
Department of Environment and Conservation
Division of Fiscal Services – Fee Section – SWM
401 Church Street, 14th Floor Tower
Nashville, TN 37243

ST REPUBLIC SERVICES, INC.	Republic Services, Inc. 18500 N. Allied Way, Phoenix, AZ 85054	
A A A A A A A A A A A A A A A A A A A	SPECIAL WASTE DEPARTMENT DECISION	
	Waste Profile # Expiration Date	
	L39Y915023 7/22/2012	
I. Decision Request:	☑ Initial ☐ Recertification ☐ Change	
Disposal Facility: L39 - Carter Valley Land		
Generator Name: Scott County PSA-Holst		
Generator Site Address: 650 Quail Run L		T
City: Weber City	County: State: VA	Zip:
Name of Waste: Aerobically Digested Sluc	ge	
Estimated Annual Volume: 900 Tons		
II. Special Waste Department De	cision: 🗹 Approved 🗀 Rejected	
Management Method(s):	III Solidification Bioremediation Transfer Facility	
Problematic Special Waste according to	Republic? Yes V No	
If yes, which one?		
Approved by Special Waste Review Com	nmittee?	
	Precautions, Conditions or Limitations on Approval	
This waste must be able to pass a pai	nt filter test prior to shipment and disposal.	A. A.
Free liquids are not permitted for land	fill disposal.	
	& Conservation has issued the Holston Regional Waste Water Treatment F	Plant a notice of
Special Waste Approval (dated 10/28/	2009) for: Waste Water Treatment Plant Sludge.	
		المحتوية
. <i>I</i> .		A-20
Special Waste Analyst Signature:	eshe Hamilton Name (Print	ed): LESLIE HAMILTON
Date: 10/29/2009		
III. Facility Decision:	Approved Rejected	
	Precautions, Conditions or Limitations on Approval	
	•	e de la companya della companya della companya de la companya della companya dell
		**
By signing below, the General Manager or special waste file is complete.	Designee agrees that a fully executed Special Waste Service Agreement is on file f	or this profile and that the
Ganeral Manager or Decignee	niel a. Lanker Name (Printed): Doniel A.	lanko
General Manager of Designee.	MANY 4: VONTON - Hallie (Fillited). Washington	×

Date: 10/29/2009

Dedrick Spivey

From:

"Mann, Brian" < BMann@republicservices.com>

Tot

"'Walter Smith" < Walter Smith@tn.gov>

Sent:

Wednesday, June 15, 2011 4:01 PM

Subject:

Scott County PSA Good afternoon, Nat:

We received a recent and copy of fee paperwork for Scott County PSA (see 3 locations below). Their last approval letter was dated October 28, 2009. Based on the similar case earlier with the City of Church Hill, are they now recertified until July 1, 2016? As always, thank you for your help.

SCOTT COUNTY PSA-HOLSTON WWTP SCOTT COUNTY PSA-DUFFIELD WWP SCOTT COUNTY PSA-MOCCASIN GAP FILTER PLNT

Best regards,

Brian Mann

Special Waste Sales Representative Middle Point Landfill/Carter Valley Landfill Allied Waste, a Republic Services Company

(615) 947-8506; cell (480) 718-4102: fax

VIRGINIA DEQ NO EXPOSURE CERTIFICATION FOR EXCLUSION FROM VPDES STORM WATER PERMITTING

Submission of this No Exposure Certification constitutes notice that the entity identified below does not require permit authorization for its storm water discharges associated with industrial activity under the VPDES Permit Program due to the existance of a condition of No Exposure.

A condition of No Exposure exists at an industrial facility when all industrial materials and activities are protected by a storm resistant shelter to prevent exposure to rain, snow, snowmelt, and/or runoff. Industrial materials or activities include, but are not limited to, material handling equipment or activities, industrial machinery, raw materials, intermediate products, by-products, final products, or waste products. Material handling activities include the storage, loading and unloading, transportation, or conveyance of any raw material, intermediate product, final product or waste product. A storm resistant shelter is not required for the following industrial materials and activities:

- drums, barrels, tanks, and similar containers that are tightly sealed, provided those containers are not deteriorated and do not leak. "Sealed" means banded or otherwise secured and without operational taps or valves;
- adequately maintained vehicles used in material handling; and
- final products, other than products that would be mobilized in storm water discharges (e.g., rock salt).

A No Exposure Certification must be provided for each facility qualifying for the No Exposure exclusion. In addition, the exclusion from VPDES permitting is available on a facility-wide basis only, not for individual outfalls. If any industrial activities or materials are or will be exposed to precipitation, the facility is not eligible for the No Exposure exclusion.

By signing and submitting this No Exposure Certification form, the entity below is certifying that a condition of No Exposure exists at its facility or site, and is obligated to comply with the terms and conditions at 9 VAC 25-31-120.F (the VPDES Permit Regulation).

	Please Type or Print All Information. ALL INFORMATION ON THIS FORM MUST BE PROVIDED.				
1.	Facility Owner Information				
	Name: Scott County Public Service Acthority				
	Mailing Address: 15 (0 Lysion Street				
	City: Weber City State: VA Zip: 24290 Phone: 276-386-340				
2.	m and the Landson Information				
	Facility/Site Location information Facility Name: Holston Regional Wastewater Tveat ment Plan Facility Name: Holston Regional Wastewater				
	Address: Quall Kun Lane				
	City: Welso C.t, the State: VA Zip: 24790				
	Latitude:Longitude:				
3.	Was the facility or site previously covered under a VPDES storm water permit? Yes ☐ No ☑				
	If "Yes", enter the VPDES permit number:				
4.	SIC/Activity Codes: Primary: Secondary (if applicable):				
5.	Total size of facility/site associated with industrial activity:				
6.	Have you paved or roofed over a formerly exposed pervious area in order to qualify for the No Exposure exclusion? Yes No 🔼				
	If "Yes", please indicate approximately how much area was paved or roofed. Completing this question does not disqualify you for the No Exposure exclusion. However, DEQ may use this information in considering whether storm water discharges from your site are likely to have an adverse impact on water quality, in which case you could be required to obtain permit coverage.				
	Less than one acre One to five acres More than five acres				

DEQ-WATER FORM SW-NEC (9/00)

Page 1 of 3

7.	Exposure Checklist							
	Are any of the following materials or activities exposed to precipitation, now or in the foreseeable f check either "Yes" or "No" in the appropriate box.) If you answer "Yes" to any of these question							
	(11)	, you are <u>not</u> eligible for the No Exposure exclusion.	Yes	No				
	1.	Using, storing or cleaning industrial machinery or equipment, and areas where residuals from using, storing or cleaning industrial machinery or equipment remain and are exposed to storm water		一色				
	2.	Materials or residuals on the ground or in storm water inlets from spill/leaks		図				
	3.	Materials or products from past industrial activity		図				
	4.	Material handling equipment (except adequately maintained vehicles)		囟				
	5.	Materials or products during loading/unloading or transporting activities		囟				
	6.	Materials or products stored outdoors (except final products intended for outside use [e.g., new cars] where exposure to storm water does not result in the discharge of pollutants)		Ø				
	7.	tanks and						
	8.	Materials or products handled/stored on roads or railways owned or maintained by the discharger		(X)				
	9.	Waste material (except waste in covered, non-leaking containers [e.g., dumpsters])		図				
	10.	Application or disposal of process wastewater (unless otherwise permitted)		図				
	11.	the strength representations and or vents not otherwise		(3)				
8.	Ce	rtification Statement	,					
ΑY	กกรเเ	vunder penalty of law that I have read and understand the eligibility requirements for claiming re" and obtaining an exclusion from VPDES storm warer permitting.						
l c	under penalty of law that there are no discharges of storm water contaminated by exposure to erials from the industrial facility or site identified in this document (except as allowed under 9 VA		•					
ar di in pu	I understand that I am obligated to submit a No Exposure Certification form once every five years to the Department and, if requested, to the operator of the local municipal separate storm sewer system (MS4) into which the facility discharges (where applicable). I understand that I must allow the Department, or MS4 operator where the discharge into the local MS4, to perform inspections to confirm the condition of no exposure and to make such inspection report publicly available upon request. I understand that I must obtain coverage under a VPDES permit prior to any point source discharge of storm water from the facility.							
A st	dditic uperv e infe	n, or the	direction o d evaluated se persons e and belie n, including					
	P	Print Name: Deniel A. Oanko						
	Pi	int Title: Director						
	Si	gnature: 1 and a 1 gample	<u></u>					
	D	ate: $5-17-2012$						
-		For Department of Environmental Quality Use Only		•				
Α	ccept	ed/Not Accepted by: Date :						